
CONNECTIONS

ZIPBOLT

٠

AVAILABLE AT COOPERSTAIRWORKS.COM | (508) 235-4397





## INTERIOR











UT RAIL BOLT PART # 13.600 SINGLE PK PART # 13.610 2 PACK WITH DRIVER & PLUGS

## **ADDITIONAL INTERIOR**





#### UT MICRO RAIL BOLT 2 PACK W/ DRIVER (16.610)

A smaller version of the original, perfect for small round and small profile rails

### **ACCESSORIES**



ZIPBOLT UT RAIL BOLT DRILL GUIDE (40.260)

Optional tool for even quicker installation. Not for use with ZIPBOLT Super UT



ZIPBOLT DEEP SOCKET TOOL 7mm (40.520)

Accessory for UT Rail bolt 13.600



### ZIPBOLT DEEP SOCKET TOOL 6mm (40.500)

Accessory for Micro UT Rail bolt 16.600



ZIPBOLT SIDE RATCHET TOOL (40.310)



ZIPBOLT RATCHET DRIVER (40.300)



ZIPBOLT ALLEN KEY 5mm (40.440)









4mm DRIVER (40.400) 5mm DRIVER (40.410) 6mm DRIVER (40.420) 8mm DRIVER (40.430)

## **EXTERIOR**





# **AVAILABLE BULK PACKS**



ZIPBOLT UT RAIL BOLT (13.600)

Box: 250 Pieces



ZIPBOLT ANGLED RAIL BOLT (11.550)

Box: 250 Pieces



ZIPBOLT SLIPFIX RAIL BOLT (13.801)

Box: 300 Pieces



ZIPBOLT UT MICRO FOR SMALL PROFILE RAILS (16.600)

Box: 200 Pieces




ZIPBOLT ANGLED SLIPFIX RAIL BOLT (13.950)



ZIPBOLT SUPER UT 12mm X 278mm (14.100)

Box: 50 Pieces



SLIPFIX RAIL BOLT PART # 13.801 SINGLE PK PART # 13.810 2 PACK WITH DRIVER & PLUGS



# **COUNTER TOP & FURNITURE FASTENERS**



ZIPBOLT UNIVERSAL DRILL GUIDE (40.280)

The universal drill guide works with several fasteners listed



Using the hardened steel inserts as a drill guide, pre-drill for the KD12.720 threaded shaft.



Align the jig using the circular windows as a guide. The pencil centre line will be clearly visible through these apertures.



Insert gear housing onto threaded shaft, then tighten KD 12.720 to create a firm reliable fixing.

HOLES	SUITABLE ZIPBOLT MODELS								
A (6.5mm)	10.820.	11.700.	11.720.	12.720.					
B (6.5mm)	10.820.	11.700.	11.720.	12.720.	13.520.	13.600*			
C (6.5mm)	10.820.	11.700.	11.720.	12.720.	13.520.	13.600*			
D (8.5mm)	11.550.	11.600.	12.500.	12.700.	13.500.	13.600*	13.801.	13.950.	13.900.
E (8.5mm)	11.550.	11.600.	12.500.	12.700.	13.500.	13.600*	13.801.	13.950.	13.900.
F (8.5mm)	12.700.								
12mm	Hole suited for insert screw								
10mm	Hole suited for insert screw								

NOTE: All set back distances should be checked on the specifications page relevant to the Zipbolt model.

After holes are drilled, some holes will need to be reamed with larger diameter drill bit depending on the model, refer to specifications.

Holes for the insert screws can be drilled by placing the drill guide back flat onto the the material face, square off using lines on the side of guide...

# **COUNTER TOP & FURNITURE FASTENERS**



ZIPBOLT™ DRAWBOLT (10.900)

Counter Top Fastener Uses 4mm Driver



ZIPBOLT<sup>™</sup> UT MINI (10.800)

6mm x 100mm Uses 4mm Driver



ZIPBOLT<sup>™</sup> UT (10.500)

35mm x 80mm Uses 5mm Driver



ZIPBOLT™ UT MIDI (13.520)

6mm x 90mm Uses 5mm Driver



### ZIPBOLT™ UT MINI HALF MITER (11.720)

6mm x 85mm Uses 5mm Driver



## ZIPBOLT™ UT MAXI (13.500)

8mm x 90mm KD Uses 5mm Driver



# ZIPBOLT UT MAXI MITER (11.600)

8mm x 135mm Uses 5mm Driver



### ZIPBOLT™ UT MINI KD (12.601)

6mm x 30mm Uses 4mm Driver



### ZIPBOLT™ UT MINI KD (12.600)

6mm x 43mm Uses 4mm Driver



