


PRESTIGE METAL




A FAMOUS SIGNATURE

We always strive for perfection. In production, starting by a clever choice of materials and suppliers, and dedicated employees, they love making it an art. In service with all aspects of the process, we include strong and respectful partnership agreements. Most of all, our manufacturing activities are in great respect with the environment. We all look forward to helping you achieve your goals.

FRANCO SERLI &
ANDRÉ GAGNÉ
OWNERS




PRESTIGE METAL IS A QUÉBEC COMPANY SPECIALIZED IN THE DESIGN AND MANUFACTURE OF STAIR RAILINGS, STRINGERS, NEWEL POSTS, BALUSTERS AND INDOOR STAIRWAY ACCESSORIES. FIRMLY FOCUSED ON INNOVATION AND THE MASTERY OF TECHNOLOGIES, ITS STAIRCASE CREATIONS AND COLLECTIONS HAVE PROPELLED IT TO THE RANK OF CANADIAN LEADER AND SUPPLIER OF CHOICE.




INSTALLATION GUIDE

IN THIS SECTION, WE SUGGEST VARIOUS METHODS FOR INSTALLING ORNAMENTAL IRON AND STAINLESS STEEL BALUSTERS.


■ STANDARD*




■ ON KNEEWALL*



■ WITHOUT WELDED WASHER AT THE BOTTOM / INSERT*



■ SCREW-IN BASE*



* Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

COLORS & FINISHES

OVER THE YEARS, WE HAVE DEVELOPED AN ORIGINAL LINE OF STYLISH COLORS AND FINISHES OF OUTSTANDING QUALITY AND DURABILITY.

MOST OF OUR METAL PRODUCTS ARE AVAILABLE IN ALL COLORS AND FINISHES.

POWDER COATING

Powder coat is heat cured to high intensity. It covers uniformly and hides traces of welding and sanding. Durable, scratch-resistant finish.

EXTERIOR PAINT (NX)

Zinc powder coated base coat to resist corrosion, then finished with electrostatic powder-coated paint for a glossy sheen.

PATINA

Powder coated base with a handpainted patina finish applied with an irregular brush and covering app. 40% of the surface.

VENETIAN


Powder-coated paint base with a handpainted patina finish applied with an irregular brush to the corners, ornaments, and other decorative elements.

RUSTIC

We apply our colors according to a traditional patina method which involves hand-wiping in irregular strokes over a powder coated base layer. This handcrafted method allows for a natural variations from one baluster to the next for a beautifully authentic effect.

Note that exact reproduction of the rich shades and depth of color is impossible in print. Please refer to your color samples. Colors may vary slightly from one order to another

TEXTURED



NT
Textured Black



NX
Exterior Black



CM
Metallic Carbon



MR
Metallic Chestnut

NON-TEXTURED METALLIC



GU
Urban Grey



CU
Urban Carbon



MU
Urban Chestnut



ACV
Pewter

NON-TEXTURED MATTE



NU
Urban Black



BW
White



NPO
Black with
Gold Patina



NPA
Black with
Silver Patina



NPC
Black with
Copper Patina



BPO
Bronze with
Gold Patina



AR
Rustic Silver



CR
Rustic Copper

PATINA

RUSTIC

MEDIEVAL BRONZE

VENETIAN




OR
Rustic Gold




OVE
Venetian Gold



AVE
Venetian Silver



BVE
Bronze Vénitien



BE
Ancient Brown



GA
Arctic Grey



BA
English Brown



BM
Medieval Bronze

STAINLESS STEEL



SS
Stainless Steel

SPIRAL STAIRCASE



NE
Everest Black



GE
Everest Grey

EXPRESS LINE

48 HOURS

REGULAR ROUND SHOE INCLUDED, NOT AVAILABLE FOR KNEEWALL
AVAILABLE COLORS : TEXTURED BLACK (NT) AND URBAN GREY (GU)



T 010 | T 010V*

Available heights :

31" | 35" | 36 3/4" | 39" | 40 1/2" | 44 1/2"

*T 010V not available in 31"



T 012N | T 012N-2

Available heights :

31" | 35" | 36 3/4" | 40 1/2" | 44 1/2"



T 024 | T 024-2

Available heights :

35" | 36 3/4" | 40 1/2" | 44 1/2"

Not available in GU 48h.



ZH 058

Available heights :

35" | 36" | 36 3/4" | 37 3/4" | 40 1/2" | 41 1/2" | 44"

*The insert is not included in 36", in 37 3/4" and in 41 1/2"



ZT 010

Available heights :

35" | 36 3/4" | 40 1/2" | 44 1/2"



F 03

Height	4 1/4"
Diameter	2 3/4"
Standoff	3 1/4"



F 05

Height	3 1/16"
Diameter	2 1/16"
Standoff	2 3/4"



F 06


Height	3 1/2"
Diameter	2 1/8"
Standoff	3 3/8"

Available in SS 48h.



F 07-338

Height	3 3/16"
Diameter	1 7/8" x 1 7/8"
Standoff	3 3/8"



SMC 350S SS

Height	2 1/2"
Diameter	2 3/8" x 1 9/16"
Standoff	3 1/2"



SMR 350S SS*

Height	2 3/8"
Diameter	2 3/4"
Standoff	3 1/2"



SMR 350VS SS*

Height	2 3/8"
Diameter	1 1/2"
Standoff	3 1/2"
Glass thickness	8 to 25mm



ZXM 03F


Height	4 3/8"
Diameter	2 3/4"
Standoff	3"

*ZXM 03F, SMR 350 and SMR 350V handrail supports are available with the flat mounting plate.

EXPRESS LINE

Unassembled, uncut

POSTS AND HANDRAILS



GLASS CLAMPS



BAR AND CABLE HOLDERS



STR 050S SS
Bar holder



STR 050LS SS
Bar holder



STC 050LS SS
Bar holder



SCR 018LS SS
Cable holder



SCR 018S SS
Cable holder

RODS AND CABLES



TGR 050S SS
Rod



TGC 050S SS
Rod



CBR 018S SS
Cable



CBR 018RS SS
Cable
sold in one roll of 328'



ZRK 02S
Tensioner kit

CONNECTORS



JMR 168CS SS
Fixed connector



JMR 168ES SS
Adjustable connector



JMC 156CS SS
Fixed connector



JMC 156ES SS
Adjustable connector

The necessary tools to install Prestige Metal stainless steel systems are available for sale.



GUIDELINE

THIS IS A PRACTICAL REFERENCE GUIDE THAT LISTS ALL OUR BALUSTERS BY SERIES AND CATEGORY. THIS TOOL WILL HELP YOU CHOOSE FROM OUR SELECTION OF PRODUCTS.

ADVANTAGES

AVAILABLE
IN 25 COLORS


SEVERAL HEIGHTS
AVAILABLE

EASY AND FAST
TO INSTALL

MOST OF OUR
BALUSTERS CAN
BE CUSTOMIZED


GUIDELINE

■ BW SERIES




Available in birch, maple and oak


■ B SERIES




■ GA SERIES




■ GT SERIES



■ H SERIES




■ HE SERIES




■ HG SERIES



■ IN SERIES



■ SG SERIES




* Not available in Exterior Black (NX).


Note that balusters ordered in Exterior Black (NX) do not come with screw caps.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.


■ T SERIES




■ T SERIES (CONT'D)



■ TC SERIES



■ TD SERIES



■ TW SERIES




* Not available in Exterior Black (NX).

Note that balusters ordered in Exterior Black (NX) do not come with screw caps.

Available in birch, maple and oak


GUIDELINE

■ ZB SERIES




Available in brich, maple and oak

■ ZS SERIES



Available in brich, maple and oak

■ ZH SERIES



Available in




Crystal Clear




Smoked Acrylic

NEWEL POSTS

■ ZT SERIES




■ PH SERIES




■ PT SERIES



■ PW SERIES



■ RAILINGS




Stainless steel accessories are available in the custom railings section

* Not available in Exterior Black (NX).

Note that balusters ordered in Exterior Black (NX) do not come with screw caps.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

■ M SERIES



* Not available in Exterior Black (NX).

Note that balusters ordered in Exterior Black (NX) do not come with screw caps.



BALUSTERS

ADVANTAGES

- BW | B SERIES
- GA | GT SERIES
- H | HE | HG SERIES
- IN | SG SERIES
- T | TC | TD SERIES
- TW SERIES
- ZB | ZH SERIES
- ZS | ZT SERIES
- PANEL

AVAILABLE
IN **25 COLORS**

**SEVERAL HEIGHTS
AVAILABLE**

**STANDARD SHOE
INCLUDED**

**EASY AND FAST
TO INSTALL**

MOST OF OUR
BALUSTERS CAN
BE **CUSTOMIZED**



COLLECTIONS

TRADITION

Timeless beauty, with warmth and style, that appeals to all ages, a classic tradition of harmony, simplicity and durability.

CONTEMPORARY


Young, modern, and distinctive: a blend of materials, unique shapes, and eye-catching details.

ROMANCE

Flowing curves for a sophisticated ambiance.



BW SERIES | WOOD



BWI-114 | BWI-158 BWG-114 | BWG-158

■ SIZE

1 1/4"

1 5/8"

■ HEIGHTS

Available heights 35" 39" 42"

■ FINISHING WASHERS


Floor NA
Stairs NA

■ DETAILS

- Wood species : birch, maple and oak.
- Before staining, a final sanding is advised.

BALUSTERS

B SERIES | SOLID FORGED STEEL



■ SIZE

1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	33"	38"


■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Standard shoe included.
Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- **B 010** : Only the upper stem varies.
- **B 012** : Pattern varies according to baluster's height.

GA SERIES | SOLID FORGED STEEL



■ SIZE

9/16" *

*Since the spindle is hammered, the size may vary.

■ HEIGHTS

Floor	35"	(pattern at 17")	40 1/2"	(pattern at 20")
Stairs	33"	(pattern at 16")	38"	(pattern at 18")
Kneewall	28"	(pattern at 14")	32"	(pattern at 16")

■ FINISHING WASHERS


Floor	W 03 WC 03
Stairs	W 04 WC 04

■ DETAILS

- Standard shoe included.
Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- Square spindle hammered on 4 sides (TD series).

BALUSTERS

GT SERIES | SOLID FORGED STEEL



GT 010
Floor

GT 010
Stairs

GT 010
Kneewall

GLASS SELECTION



BC
Blue Cosmos



PG
Freezing Rain



TC
Toscan



VF*
Smoked Glass

* Patterns may vary.

■ SIZE

7 5/8" 1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	33" (31" - 35")	
	38" short (35" - 40 1/2")	
	38" long (36 3/4" - 40 1/2")	
Kneewall	35" (see image opposite)	

■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02

Order 2 finishing washers per GT 010.

■ DETAILS

- Standard shoe included.
Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except OR, AR, CR, NX and SS.
- Glass thickness : 1/8"
- **GT 010 kneewall** : All other measurements are available only on special order (additional charge applies), contact customer service.

GLASS LOCATIONS



Single
Glass




Double
Glass



Triple
Glass

*Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

GT SERIES | SOLID FORGED STEEL



■ SIZE



■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Adjustment		44 1/2"

■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Standard shoe included.
Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except OR, AR, CR, NX and SS.
- Glass thickness : 1/8"
- 32" for kneewall available only on special order (additional charge applies)

GLASS SELECTION



BC
Blue Cosmos



PG
Freezing Rain



TC
Toscan



VF*
Smoked Glass

* Patterns may vary.

GLASS LOCATIONS



Single
Glass




Double
Glass



Triple
Glass

BALUSTERS

GT SERIES | SOLID FORGED STEEL



■ SIZE

1/2"

■ HEIGHTS

Floor	35"	40 1/2"
	Centered	Front
Stairs	33" 38"	36"
Kneewall	28" 32"	

■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Standard shoe included.
Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- Recommended for the front of the tread.

*Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

H SERIES | SOLID FORGED STEEL



■ SIZE

1/2"

9/16"

5/8"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor (H 010)	W 021
Stairs (H 010)	W 022
Floor (H 096)	W 023
Stairs (H 096)	W 024
Floor (H 058)	W 025
Stairs (H 058)	W 026

■ DETAILS

- Available in every color except SS.
- **H 010** : Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- **H 096 | H 058** : Standard shoe included.
- **H 058** : Can be used with decorative collars A 81

BALUSTERS

H SERIES | SOLID FORGED STEEL



■ SIZE

● 1 1/2"

■ HEIGHTS


Floor	35"	(pattern at 17")	40 1/2"	(pattern at 20")
Stairs	31"	(pattern at 14 21/32")	35"	(pattern at 18")
	36 3/4"	(pattern at 16 15/16")	40 1/2"	(pattern at 20 11/16")
Adjustment			44 1/2"	(pattern at 20 11/16")

■ FINISHING WASHERS


Floor	W 021
Stairs	W 022

■ DETAILS

- **Important** : When ordering, indicate whether balusters are for floor or stairs.
- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- For a pattern with a central line in the staircase, use a 36 3/4" and a 40 1/2".
- Not recommended with H 015A-2.




Configuration on the floor



Configuration on the stairs

*Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

H SERIES | SOLID FORGED STEEL



H 015A

H 015A-2

■ SIZE

1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 021
Stairs	W 022

■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- **H 015A-2** : Not available in 28" for kneewall.

BALUSTERS

H SERIES | SOLID FORGED STEEL



■ SIZE

9/16"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 023
Stairs	W 024

■ DETAILS

- Standard shoe included.
- Available in every color except NX and SS.
- The pattern is centered for kneewall heights.
- **H 032** : Not available in 31" and in 28" for kneewall.

**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*

H SERIES | SOLID FORGED STEEL



■ SIZE



■ HEIGHTS

Floor	35"	(Base at 4 $\frac{1}{16}$ ")	40 $\frac{1}{2}$ "	(Base at 7 $\frac{1}{16}$ ")
Stairs	31"	(Base at 1 $\frac{3}{4}$ ")	35"	(Base at 5 $\frac{1}{16}$ ")
	36 $\frac{3}{4}$ "	(Base at 4")	40 $\frac{1}{2}$ "	(Base at 7 $\frac{3}{4}$ ")
Kneewall			32"	(Base at 3 $\frac{3}{16}$ ")
Adjustment			44 $\frac{1}{2}$ "	(Base at 7 $\frac{3}{4}$ ")

■ FINISHING WASHERS


Floor	W 025
Stairs	W 026

■ DETAILS

- Standard shoe included.
- Available in every color except NX and SS.
- Pattern varies according to baluster's height.
- See available starting post: PH 091.
- The pattern is centered for kneewall heights.
- **H 090** : Same features as the H 091.
For a pattern with a central line in the staircase, use a 36 $\frac{3}{4}$ " and a 40 $\frac{1}{2}$ ".

BALUSTERS

HE SERIES | SOLID FORGED STEEL



■ SIZE

1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"


■ FINISHING WASHERS

Floor	W 021
Stairs	W 022

■ DETAILS

- Irregular round hammered spindle (HE series).
- Standard shoe included.
- Available in every color except SS.
- The pattern is centered for kneewall heights.
- **H 01E-2** : Not available in 31" and in 28" for kneewall.

HG SERIES | SOLID FORGED STEEL



■ SIZE

5/8"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 025
Stairs	W 026

■ DETAILS

- Irregular round hammered spindle (HG series).
- Standard shoe included.
- Available in every color except SS.
- **H 011G** : Not available for kneewall.

BALUSTERS

IN SERIES | SOLID FORGED STEEL



■ SIZE



■ HEIGHTS (IN 010)

Floor	35" (pattern at 17")
Stairs	33" (pattern at 15 7/16") 38" (pattern at 17 3/4")

■ HEIGHTS (IN T111)

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"


■ FINISHING WASHERS

Floor	W 011 WC 011
Stairs	W 012 WC 012

■ DETAILS

- The pattern is centered for kneewall heights.
- **IN 010** : Shoe not available. Available in every color except NX and SS.
- **IN T111** : Standard shoe included. Available in every color except SS.

SG SERIES | SOLID FORGED STEEL



SG 012

■ SIZE

1/2"

■ HEIGHTS

Floor	35" (pattern at 17")	40 1/2" (pattern at 20")
Stairs	33" (pattern at 16")	38" (pattern at 18")
Kneewall	28" (pattern at 14")	32" (pattern at 16")

■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- No decorative collar.
- The pattern is centered for kneewall heights.

BALUSTERS

T SERIES | SOLID FORGED STEEL



■ SIZE



■ HEIGHTS


Floor	35"	39"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"	
Kneewall	28" 32"		
Adjustment			44 1/2"

■ FINISHING WASHERS

Floor (T 010 - T 010V)	W 01 WC 01
Stairs (T 010 - T 010V)	W 02 WC 02
Floor (T 038)	W 011 WC 011
Stairs (T 038)	W 012 WC 012


■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except SS.
- **T 010** : Available with wings (see picture below).
For any modifications, please contact our customer service.
- **T 010V** : Not available in 31".
- **T 038** : Not available in 39".



*Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

T SERIES | SOLID FORGED STEEL



■ SIZE



■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 03D WC 03D
Stairs	W 04D WC 04D

■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except SS.
- **T 058 - T 058V** : Not available in 39".

BALUSTERS

T SERIES | SOLID FORGED STEEL



■ SIZE

 1/2"

■ HEIGHTS


Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02


■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except SS.
- The pattern is centered for kneewall heights.
- **T 011** : Available with wings (see picture below).
For any modifications, please contact our customer service.
- **T 011-2** : Not available in 31", 28" and 32" for kneewall.



**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*

T SERIES | SOLID FORGED STEEL



■ SIZE

1/2"

■ HEIGHTS


Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02


■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
 - Available in every color except SS.
 - The pattern is centered for kneewall heights.
 - **T 012N** : Available with wings (see picture below).
- For any modifications, please contact our customer service.



BALUSTERS

T SERIES | SOLID FORGED STEEL



■ SIZE

1/2"

■ HEIGHTS


Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02


■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- The pattern is centered for kneewall heights.
- **T 013** : Available with wings (see picture below).
For any modifications, please contact our customer service.
- **T 013-2** : Not available in 28" for kneewall.



*Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

T SERIES | SOLID FORGED STEEL



■ SIZE

1/2"

■ HEIGHTS


Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02


■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- The pattern is centered for kneewall heights.
- **T 014** : Available with wings (see picture below).
For any modifications, please contact our customer service.
- **T 014-2** : Not available in 28" for kneewall.



BALUSTERS

T SERIES | SOLID FORGED STEEL



■ SIZE

1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- The pattern is centered for kneewall heights.
- **T 014S** : Not available in 28" and 32" for kneewall.

**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*

T SERIES | SOLID FORGED STEEL



T 018

T 018-2

■ SIZE

 1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- The pattern is centered for kneewall heights.
- We do not recommend placing 2 identical balusters next to each other.
- **T 018-2** : Not recommended for the rear of the tread and not available in 28" for kneewall.

BALUSTERS

T SERIES | SOLID FORGED STEEL



■ SIZE

1 1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- The pattern is centered for kneewall heights.

**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*

T SERIES | SOLID FORGED STEEL



■ SIZE

1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- The pattern is centered for kneewall heights.
- **T 024-2** : Not available in 28" for kneewall.

BALUSTERS

T SERIES | SOLID FORGED STEEL



■ SIZE

 1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"


■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- The pattern is centered for kneewall heights.
- See available starting post: PT 040.
- **T 040-2 | T 040-2M** : Not available in 28" for kneewall.
- **T 040-2M** : We do not recommend placing 2 identical balusters next to each other. Not available in NX.

TC SERIES | SOLID FORGED STEEL



■ SIZE

9/16"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 03 WC 03
Stairs	W 04 WC 04

■ DETAILS

- Square hammered spindle on 2 faces (TC series).
- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX and SS.
- The pattern is centered for kneewall heights.
- **T 030C** : Availabe in NX.
- **T 032C** : Not availabe in 31, 28" and 32" for kneewall.

BALUSTERS

TD SERIES | SOLID FORGED STEEL



■ SIZE

 9/16"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 03 WC 03
Stairs	W 04 WC 04

■ DETAILS

- Square hammered spindle on 4 sides (TD series).
- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except SS.
- The pattern is centered for kneewall heights.

**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*

TD SERIES | SOLID FORGED STEEL



■ SIZE

9/16"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS


Floor	W 03 WC 03
Stairs	W 04 WC 04

■ DETAILS

- Square hammered spindle on 4 sides (TD series).
- Standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except SS.
- The pattern is centered for kneewall heights.
- **T 036D-2** : Not available in 31, 28" and 32" for kneewall.

BALUSTERS

TW SERIES | STEEL, WOOD & STAINLESS STEEL



TW 010

■ SIZE

1/2"

Wood : 1 1/2" x 1 1/2"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	32"	
Adjustment		44 1/2"


■ FINISHING WASHERS

Floor	W 01 WC 01
Stairs	W 02 WC 02

■ DETAILS

- Wood/metal combination.
- Wood species: birch, maple, oak.
- Before staining, a final sanding is advised.
- No stainless steel finishing washer is available, you can use the one in color GU.
- Square standard shoe included. Refer to the Accessories section for more shoe options (additional charge applies).
- Available in every color except NX.
- The pattern is centered for kneewall heights.
- Non-glued metal top cap.

ZB SERIES | STAINLESS STEEL & WOOD



■ SIZE



Wood :  1 3/4"

■ HEIGHTS

INSERT INCLUDED (ZVH 034)

Floor	35"	36"	40 1/2"	41 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"	37 3/4" 41 1/2"	
Kneewall		28" 32"		
Adjustment				44"

■ FINISHING WASHERS

Floor	NA
Stairs	NA

■ DETAILS

- High-end stainless steel, graded for interior installation only.
- Wood species: birch, maple, oak.
- Before staining, a final sanding is advised.
- Non-standard installation.
- The pattern is centered for kneewall heights.
- Decorative shoe (Z 01) optional.
- Insert included (ZVH 034) except for the following heights : 36", 37 3/4" and 41 1/2".
- **ZB 01-2** : not recommended for front of tread. Not available in 31", 28" and 32" for kneewall.




Z 01



ZVH 034

BALUSTERS

ZH SERIES | STAINLESS STEEL



ZH 020

ZH 020-2

ZH 02

■ SIZE



■ HEIGHTS

Floor	35"	36"	40 1/2"	41 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"	37 3/4" 41 1/2"	
Kneewall		28" 32"		
Adjustment				44"

■ FINISHING WASHERS

Floor	NA
Stairs	NA

■ DETAILS

- High-end stainless steel, graded for interior installation only.
- For a pattern with a central line in the staircase, use a 36 3/4" and a 40 1/2".
- The welded washer and the shoe are not available in the following heights : 36", 37 3/4" and 41 1/2".
- No stainless steel finishing washer is available, you can use the W 023 and W 024 in color GU.
- **ZH 020-2** : Not available in 31"
- **ZH 020L-2** : Not available in 32"



ORNAMENT SELECTION



CC
Crystal
Clear



AF
Smoked
Acrylic

*Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

ZH SERIES | STAINLESS STEEL



5/8"

ZH 058 

■ SIZE



■ HEIGHTS

INSERT INCLUDED (ZVH 058)

Floor	35"	36"	40 ½"
Stairs	36 ¾" 40 ½"		37 ¾" 41 ½"
Kneewall	28" 32"		
Adjustment			44"

■ FINISHING WASHERS

Floor	NA
Stairs	NA

■ DETAILS

- High-end stainless steel, graded for interior installation only.
- Insert included (ZVH 058) except for the following heights : 36", 37 ¾" and 41 ½".
- Shoe ZH 05 is available as an option (additional charge applies).
- No stainless steel finishing washer is available, you can use the W 025 and W 026 in color GU.




ZVH 058



ZH 05

BALUSTERS

ZH SERIES | STAINLESS STEEL



■ SIZE



■ HEIGHTS

Floor	35"	36"	40 1/2"	41 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"	37 3/4" 41 1/2"	
Kneewall		28" 32"		
Adjustment				44"

■ FINISHING WASHERS

Floor	NA
Stairs	NA


■ DETAILS

- High-end stainless steel, graded for interior installation only.
- The welded washer and the shoe are not available in the following heights : 36", 37 3/4" and 41 1/2".
- No stainless steel finishing washer is available, you can use the W 023 and W 024 in color GU.
- The pattern is centered for kneewall heights.
- **ZH 032** : Not recommended for the rear of the tread. Not available in 31", 28" and 32" for kneewall.



ZH 02

ZS SERIES | STAINLESS STEEL & WOOD



■ SIZE



■ HEIGHTS

Floor	35"	36"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"	37 3/4" 41 1/2"
Kneewall		28" 32"	
Adjustment			44"

■ FINISHING WASHERS

Floor	NA
Stairs	NA

■ DETAILS

- High-end stainless steel, graded for interior installation only.
- Wood species: birch, maple, oak.
- Before staining, a final sanding is advised.
- Non-standard installation.
- The pattern is centered for kneewall heights.
- Decorative shoe (Z 01) optional (additional charge applies).
- Insert included (ZVH 034) except for the following heights : 36", 37 3/4" and 41 1/2".
- **ZS 01-2** : not recommended for front of tread.



BALUSTERS

ZT SERIES | STAINLESS STEEL



■ SIZE



1/2"



3/4"

■ HEIGHTS

Floor	35"	40 1/2"
Stairs	31" 35"	36 3/4" 40 1/2"
Kneewall	28" 32"	
Adjustment		44 1/2"

■ FINISHING WASHERS

Floor (ZT 010)	NA
Stairs (ZT 010)	NA
Floor (ZT 034)	WC 013 SS
Stairs (ZT 034)	WC 014 SS

■ DETAILS

- High-end stainless steel, graded for interior installation only.
- **ZT 010** : No stainless steel finishing washer is available, you can use the W 01/WC 01 and the W 02/WC 02 in color GU. BC 01 SS shoe is available (additional charge applies).
- Inserts included (ZVT 010 and ZVT 034)



ZVT 010 ZVT 034

**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*

M SERIES | SOLID FORGED STEEL



■ SIZE

▨ 1/2"

■ HEIGHTS

Floor	34"
Width	26"
Adjustment	NA

■ FINISHING WASHERS

Floor	NA
-------	----

■ DETAILS

- For floor installation only.
- Welded washers on top and bottom.
- Same pattern on both sides.
- Standard shoe included. Refer to the Accessories section for other upgraded available shoes (additional charge applies).
- Available in every color except in NX and SS.



ACCESSORIES

- HANDRAIL SUPPORTS
- DECORATIVE COLLARS
- SHOES | SCREW-IN BASE
- ORNAMENTAL SHOES
- FINISHING WASHERS

ADVANTAGES


WIDE VARIETY
OF ACCESSORIES

READY
TO INSTALL

AVAILABLE
IN A WIDE SELECTION
OF COLORS

ACCESSORIES

MEASUREMENTS GUIDELINES



HANDRAIL SUPPORT - F 03 (48)



HEIGHT	DIAMETER	STANDOFF
4 1/4"	2 3/4"	3 1/4"

(48) EXPRESS LINE (SHIPPED WITHIN 48H)

HANDRAIL SUPPORT - F 05 (48)



HEIGHT	DIAMETER	STANDOFF
3 1/4"	2 1/16"	2 3/4"

(48) EXPRESS LINE (SHIPPED WITHIN 48H)

HANDRAIL SUPPORT - F 06 (48)



HEIGHT	DIAMETER	STANDOFF
3 1/2"	2 1/8"	3 3/8"

(48) EXPRESS LINE (SHIPPED WITHIN 48H)

ALSO AVAILABLE IN STAINLESS STEEL

HANDRAIL SUPPORT - F 07



HEIGHT	DIAMETER	STANDOFF
3 3/16"	1 7/8" x 1 7/8"	2 5/8" (F 07-258) 3 3/8" (F 07-338) (48) 4" (F 07-400)

(48) EXPRESS LINE (SHIPPED WITHIN 48H)


STAINLESS STEEL HANDRAIL SUPPORT - ZXM 03F (48)



HEIGHT	DIAMETER	STANDOFF
4 3/8"	2 3/4"	3"

(48) EXPRESS LINE (SHIPPED WITHIN 48H)

STAINLESS STEEL HANDRAIL SUPPORT - SMR 350V (48)



HEIGHT	DIAMETER	STANDOFF
2 3/8"	1 1/2"	3 1/2"

(48) EXPRESS LINE (SHIPPED WITHIN 48H)

DETAILS

Glass thickness: 8 to 25 mm

STAINLESS STEEL HANDRAIL SUPPORT - SMC 350 (48)



HEIGHT	DIAMETER	STANDOFF
2 1/2"	2 3/8" x 1 9/16"	3 1/2"


(48) EXPRESS LINE (SHIPPED WITHIN 48H)

STAINLESS STEEL HANDRAIL SUPPORT - SMR 350 (48)



HEIGHT	DIAMETER	STANDOFF
2 3/8"	2 3/4"	3 1/2"

(48) EXPRESS LINE (SHIPPED WITHIN 48H)




DECORATIVE COLLAR - A 12N



SPINDLE SHAPE	ROD SIZE	USE WITH
	1/2"	T 010 T 010V T 010B

DECORATIVE COLLAR - A 081



SPINDLE SHAPE	ROD SIZE	USE WITH
	5/8"	H 058



DETAILS
All decorative collars must be adjusted with an Allen key.

**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*

ACCESSORIES

REGULAR SHOES FOR BALUSTERS
INCLUDED WITH MOST OF OUR PRODUCTS

ROUND MODELS



7/16"

1 1/2"

	KNEEWALL	SPINDLE SHAPE	ROD SIZE
B 05	B 05M		3/8"
B 01	B 01M		1/2"
B 03	B 03M		9/16"
B 03D	B 03DM		5/8"



7/16"

1 1/2"

	KNEEWALL	SPINDLE SHAPE	ROD SIZE
B 02	B 02M		1/2"
B 06	NA		9/16"
B 04	B 04M		5/8"

DETAILS

- B 03D: To be used with TD series and 5/8" bars.

REGULAR SHOES FOR STAINLESS STEEL BALUSTERS

ROUND MODELS - ZH SERIES



5/8"

1 3/4"

	KNEEWALL	SPINDLE SHAPE	ROD SIZE
ZH 02	N/D		9/16"

DETAILS

- Stainless steel.
- Available with the ZH series in stainless steel.



5/8"

1 3/4"

	KNEEWALL	SPINDLE SHAPE	ROD SIZE
ZH 05	N/D		5/8"

DETAILS

- Stainless steel.
- Available with the ZH 058 baluster.

SCREW-IN BASE



11/16"

1/4"

	DIAMETER	HEIGHT
V 01	1/4"	11/16"

- Not available with: newel posts, GT 010, ZB, ZH, ZS, ZT series, 3/8" bars and hollow balusters.


DETAILS

Accessories cannot be ordered without a corresponding spindle order.

**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*

OPTIONAL SHOES

SQUARE MODELS




	KNEEWALL	SPINDLE SHAPE	ROD SIZE
B 096	NA		1/2"
B 058	NA		9/16"

ROUND MODELS



	KNEEWALL	SPINDLE SHAPE	ROD SIZE
B 360	NA		1/2"

SQUARE MODELS



	KNEEWALL	SPINDLE SHAPE	ROD SIZE
BC 038	NA		3/8"
BC 01	BC 01M		1/2"
BC 058	NA		5/8"

DETAILS

Not available for hammered balusters: TB, TC and TD series

BC 01 - BC 01M: Also available in stainless steel.

ROUND MODELS - ZS | ZB SERIES




	KNEEWALL	SPINDLE SHAPE	ROD SIZE
Z 01	NA		3/4"

DETAILS

Stainless steel shoe.

FOR NEWEL POSTS



	KNEEWALL	SPINDLE SHAPE	ROD SIZE
BC 350 P125	NA		1 1/4"

DETAILS

Only available for F 09 newel post.


DETAILS

Accessories cannot be ordered without a corresponding spindle order.
Additional charges apply.

ACCESSORIES

FINISHING WASHERS



FOR SQUARE BALUSTERS ROUND MODELS

FLOOR	STAIRS	SPINDLE SHAPE	ROD SIZE
W 011	W 012		3/8"
W 01	W 02		1/2"
W 03	W 04		9/16"



1 3/8"


SQUARE MODELS


FLOOR	STAIRS	SPINDLE SHAPE	ROD SIZE
WC 011	WC 012		3/8"
WC 01	WC 02		1/2"
WC 03	WC 04		9/16"



1 3/8"

FOR SQUARE BALUSTERS ROUND MODELS


FLOOR	STAIRS	SPINDLE SHAPE	ROD SIZE
W 03D	W 04D		5/8"




1 9/16"

DETAILS
W 03D: Use with 5/8" balusters.

SQUARE MODELS

FLOOR	STAIRS	SPINDLE SHAPE	ROD SIZE
WC 03D	WC 04D		5/8"



1 9/16"

DETAILS
WC 03D | WC 04D: Use with 5/8" balusters.

FOR SQUARE BALUSTERS SQUARE MODELS




FLOOR	STAIRS	SPINDLE SHAPE	ROD SIZE
WC 013	WC 014		3/4"




WC 013: 1 15/16" x 1 7/8"
WC 014: 1 11/16" x 1 9/16"

DETAILS
WC 013: Stainless steel floor finishing washer.
Size: 1 15/16" x 1 7/8"
WC 014: Stainless steel stairs finishing washer.
Size: 1 11/16" x 1 9/16"

FOR ROUND BALUSTERS ROUND MODELS

FLOOR	STAIRS	SPINDLE SHAPE	ROD SIZE
W 021	W 022		1/2"
W 023	W 024		9/16"
W 025	W 026		5/8"



1 3/8"

DETAILS
Accessories cannot be ordered without a corresponding spindle order.

*Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.



NEWEL POSTS


- PH 091
- PT 040
- PWTB | PWTL
- PWTG| PWTI

ADVANTAGES

A WIDE VARIETY
OF POSTS

READY
TO INSTALL

AVAILABLE
IN 25 COLORS



F SERIES | SOLID FORGED STEEL



■ SIZE



■ HEIGHTS

Floor	34"	40"
-------	-----	-----

■ FINISHING WASHERS

Floor	NA
Stairs	NA

■ DETAILS

- Available in every color except SS.
 - **F 08** : Standard shoe included (B 350 P150)
 - **F 09** : Standard shoe included (B 350 P125)
- Refer to the Accessories section for other upgraded available shoes (additional charge applies).

NEWEL POSTS

PH SERIES | SOLID FORGED STEEL



PH 091

■ SIZE

1 5/8"

■ HEIGHTS

Floor	34"	40"
-------	-----	-----

■ FINISHING WASHERS

Floor	NA
Stairs	NA

■ DETAILS

- Available in every color except NX and SS.
- Standard shoe included.

PT SERIES | SOLID FORGED STEEL



PT 040

■ SIZE

1 3/16"

■ HEIGHTS

Floor	34"	40"
-------	-----	-----

■ FINISHING WASHERS

Floor	NA
Stairs	NA

■ DETAILS

- Available in every color except NX and SS.
- Standard shoe included. Refer to the accessories section for other upgraded available shoes (additional charge applies).

NEWEL POSTS

PW SERIES | SOLID FORGED STEEL



■ SIZE

- 3" Half-post 3" x 1 1/8"
- 3 1/2" Half-post 3 1/2" x 1 1/8"


■ HEIGHTS

Floor 42" 48" 52"

The 52" model is available only in 3 1/2" (post).

■ DETAILS

- Wood/metal combination.
- Can be disassembled easily to facilitate staining.
- Available in every color except NX.
- Wood species: birch, maple, oak.
- Before staining, a final sanding is advised.



PW SERIES | SOLID FORGED STEEL



PWTG  3"

PWTG-400  4"

PWTI  3"

PWTI-400  4"

■ SIZE

 3"

 Half-post 3" x 1 3/8"

 4"

 Half-post 4" x 1 7/8"

■ HEIGHTS

Floor

42"

48"

52"

The 52" model is available only in 4-inch width (post).

■ DETAILS

- Wood species: birch, maple, oak.
- Before staining, a final sanding is advised.



CUSTOM RAILINGS

SQUARE SERIES

ROUND SERIES

ACCESSORIES

CODIFICATION
LEXICON

TECHNICAL HELP

ADVANTAGES

DESIGN ACCORDING
TO YOUR SPECIFICATIONS

AVAILABLE IN A VARIETY
OF COLORS

READY AND EASY
TO INSTALL

DRAWINGS PROVIDED

CUSTOM RAILINGS



**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*




**Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.*

CUSTOM RAILINGS

All unpainted and unassembled stainless steel (SS) products are available in 48 hours.

All stainless steel products are available painted.

POSTS



■ SIZE

PTR 168

1 11/16"

■ DETAILS

- Available in stainless steel and in the following colors : NT, NU, MU, CU, GU, MR, CM, BW, ACV, NPA, NPO and NPC. For other colors, please contact our customer service department.
- Swivel handrail support and shoe included.
- Handrail supports are glued except for stock orders.
- Screws for the handrail included. Screws for fixing the posts are optional.
- Glass clamps, bars and cable holders can be installed upon request.
- Touch-up sprays are available in all paint colors.

PTR 168

INCLUDED PLATES



INCLUDED PLATE

INCLUDED PLATE

- The included plates are flat unless they are ordered with a round handrail or if specified when ordering.

OPTIONAL PLATES



PLR

PLR 090

SCREWS FOR INSTALLATION



PTR LAGP (8X)

PTR LAGE (8X)

- Standard, code-compliant screws for post installation
- LAGP = Lag screw \varnothing 3/8 - 4" for floor installation
- LAGE = Lag screw \varnothing 1 1/2" for stairs installation
- Sold separately.



PTR VISP

PTR VISE

- Non-compliant screws for post installation
- VISP = Wood screw #14 - 3" for floor installation
- VISE = Wood screw #12 - 1/4" for stairs installation
- Sold separately.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

All stainless steel products (SS) unpainted and unassembled are available in 48 hours.

All stainless steel products are available painted.

POSTS

■ SIZE

PTC 200



PTC 156



*Only the PTC 156 is available in stainless steel with the pyramidal shoe and handrail support.

■ DETAILS

- Available in stainless steel and in the following colors : NT, NU, MU, CU, GU, MR, CM, BW, ACV, NPA, NPO and NPC. For other colors, please contact our customer service department.
- Swivel handrail support and shoe included.
- Handrail supports are glued except for stock orders.
- Screws for the handrail included. Screws for fixing the posts are optional.
- Glass clamps, bars and cable holders can be installed upon request.
- Touch up sprays are available in all paintings.



PTC 200

PTC 156

INCLUDED PLATES



INCLUDED PLATE

INCLUDED PLATE

OPTIONAL PLATES



PLR

PLR 090

- The included plates are flat unless they are ordered with a round handrail or if specified when ordering.

SCREWS FOR INSTALLATION



PTC LAGP (6X)

PTC LAGE (6X)



PTC VISP

PTC VISE

- Standard, code-compliant screws for post installation
- LAGP = Lag screw \varnothing 3/8 - 4" for floor installation
- LAGE = Lag screw \varnothing 1 1/2" for stairs installation
- Sold separately.

- Non-compliant screws for post installation
- VISP = Wood screw #14 - 3" for floor installation
- VISE = Wood screw #12 - 1/4" for stairs installation
- Sold separately.


Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

CUSTOM RAILINGS


All unpainted and unassembled stainless steel (SS) products are available in 48 hours.

All stainless steel products are available painted.


GLASS CLAMPS




SVR LAR



SVR MED




SVR LARL Flat bottom




SVR MEDL Flat bottom

- Available glass thickness :
 - LARGE : 8 mm, 10 mm, 12 mm.
 - MEDIUM : 6 mm, 8 mm, 10 mm
- Rubber 10 mm included
- Rubber 6, 8 and 12 mm are optional
- Other thickness: Please mention it on your order (additional charge applies).
- Location of the pin: see image opposite



- Available glass thickness :
 - LARGE : 8 mm, 10 mm, 12 mm.
 - MEDIUM : 6 mm, 8 mm, 10 mm
- Rubber 10 mm included
- Rubber 6, 8 and 12 mm are optional
- Other thickness: Please mention it on your order (additional charge applies).
- Location of the pin: see image opposite



GLASS CLAMPS



SVR 150LA



SVR 150LF



STR 050



STR 050L



TGR 050

- Adjustable side-mounted glass clamp
- Glass thickness :
 - 8 mm, 10 mm, 12 mm and 16 mm
- Length between the wall and the glass
 - min : 1 1/4"
 - max : 2"

- Fixed side-mounted glass clamp
- Glass thickness :
 - 8 mm, 10 mm, 12 mm and 16 mm
- Note that there is a slight difference in diameter between the two pieces.

- Use with the posts of the PTR series.
- Installation upon request.

- Use with the posts of the PTC series.
- Installation upon request.

- Maximum length: 236 1/4". Can be pre-cut.

CABLE HOLDERS & CABLE



SCR 018



SCR 018L



CBR 018

- Use with the posts of the PTR series.
- For Ø 3/16" cable
- Installation upon request.

- Stainless steel side-mounted support
- Us with the posts of the PTC series.
- For Ø 3/16" cable
- Installation upon request.


- Ø 3/16" (5 mm). Can be pre-cut.
- Not available painted.
- Also available in one roll of 328' (CBR 018R)

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

All stainless steel products (SS) unpainted and unassembled are available in 48 hours.

All stainless steel products are available painted.

GLASS CLAMPS




SVC LARL




SVC MEDL

- Available glass thickness :
 - LARGE : 8 mm, 10 mm, 12 mm.
 - MEDIUM : 6 mm, 8 mm, 10 mm
- Rubber 10 mm included
- Rubber 6, 8 and 12 mm are optional
- Other thickness: Please mention it on your order (additional charge applies).
- Location of the pin: see image opposite
- No pin available for the SVC MEDL



BAR HOLDERS & BARS



STC 050L


- Use with PTC Series or wood posts, or directly on the wall



TGC 050

- Maximum length: 196 7/8". Can be pre-cut.

CABLE INSTALLATION



ZRK 02

- Tensioner kit
- Install at each end of the cable
- Not available painted



7 1/4"
(MINIMUM LENGTH BETWEEN POSTS)

ZRK 04B | ZRK 04M

- ZRK 04B-1 | ZRK 04B-2** : For wooden posts (PWTB & PWTL)
- ZRK 04M-1 | ZRK 04M-2** : For metal posts (PTC series)
- ZRK 04M-PP | ZRK 04M-PE** : Middle drilling service for metal posts (floor and stairs)
- Not available painted.


Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

CUSTOM RAILINGS

All unpainted and unassembled stainless steel (SS) products are available in 48 hours.
All stainless steel products are available painted.

HANDRAIL

EMR 168 Cap (sold separately)





MCR 168

EMR 168S

- Maximum length: 236 1/2". Can be pre-cut.
- A pre-drill of the handrail using a #16 drill is required.
- Cap for the **MCR 168** handrail.

CONNECTORS



JMR 168CS SS

JMR 168ES SS

- Use with the **MCR 168** handrail
- Use with the **MCR 168** handrail

All stainless steel products (SS) unpainted and unassembled are available in 48 hours.

All stainless steel products are available painted.

HANDRAIL

EMC 156 Cap (sold separately)



MCC 156

EMC 156

- Maximum length: 236 1/2". Can be pre-cut.
- A pre-drill of the handrail using a #16 drill is required.
- Cap for the **MCC 156** handrail

EMC 200 Cap (sold separately)




MCC 200

EMC 200


- Only available in painted steel.
- Maximum length: 236 1/2". Can be pre-cut.
- A pre-drill of the handrail using a #16 drill is required.
- Cap for the **MCC 200** handrail
- No connectors available

CONNECTORS



JMC 156CS SS

- Use with the **MCC 156** handrail



JMC 156ES SS

- Use with the **MCC 156** handrail

CUSTOM RAILINGS

CODIFICATION LEXICON

1- Product

2- Shape

3- Decimal, imperial
component size

4- Configuration

5- Color

PTC 200S NU

All stainless steel products (SS) unpainted and unassembled are available in 48 hours.

All stainless steel products are available painted.

1- PRODUCT

Post (PT)
Glass clamps (SV)
Bar holder (ST)
Cable holder (SC)
Tensioner/Terminal cable (TC)
Bars (TG)
Handrail (MC)
Cable (CB)
Handrail support (SM)
Plates (PL)
Handrail cap (EM)
Connector (JM)

2- SHAPE

Square (C)
Round (R)
Hollow (Autre format)

3- COMPONENT SIZE

2" (200)
1 11/16" (168)
1 9/16" (156)
1 1/2" (150)
1 1/4" (125)
1/2" (050)
3/16" (018)

Large (LAR)
Medium (MED)



Supports

4- CONFIGURATION

Corner (C)
Flat top (K)
Extended (A)
Lateral (L)
Kneewall (M)
Glass (V)*
Stock (S)
Roll (R)**

5- COLOR


See the color chart and the price list for available colors.

* For example, handrail supports fixed to the glass

** Cable sold in one roll

CUSTOM RAILINGS

TECHNICAL HELP




For each project:


- ▣ Mark the steps on which the posts will stand with a ⊗
- ▣ Provide vertical measurements between the step with the first post and other steps with posts on.
- ▣ Provide horizontal measurements from the first step bearing a post.
- ▣ Indicate tread depth for each step with a post, and average tread depth.
- ▣ Indicate flight-run.

If you want your post to be positioned at a particular spot, please mention this. Otherwise, please refer to the Prestige Metal drawings for approval to know the position of your posts.

Possible configurations



Impossible configuration Two posts are required.





CUSTOM STRINGERS CERTIFIED

- OSLO
- PARIS
- TOKYO
- LIFT SYSTEMS

ADVANTAGES

CUSTOM DESIGN

THREE DIFFERENT
MODELS

READY TO INSTALL


IN CONFORMITY WITH
THE NATIONAL
BUILDING CODE

METICULOUS
WORKMANSHIP


CUSTOM STRINGERS




OSLO



**TOP
OF THE STAIRS**



**BOTTOM
OF THE STAIRS**
Fixed with a flat plate



Fixed with an angle
mounting plate
(finishing plate not
available)

STRINGER THICKNESS	STRINGER WIDTH	ESTIMATED WEIGHT PER STEP	OPTIONS	COLORS
1/2" steel plate	12" (inside)	50 Lbs	▣ Screw cover for stringer mounting plate	▣ Painted steel stringer (Powder coating). ▣ Available colors: NT, CM, MR, ACV, GU, NU, MU, CU & BW

DETAILS


- ▣ Recommended step's thickness: 1 5/8" to 4".
- ▣ Step's width: 54" maximum.
- ▣ Available for 3 angle stairs or a landing (a mechanical coupling may be required).
- ▣ Fasteners included.
- ▣ When the top plate is visible, you must provide a suitable nosing to meet the run.
- ▣ A reinforcement is necessary at all times. Please refer to the reinforcement suggested by Prestige Metal at the end of this section.

- ▣ Please contact our customer service for any quote or other special requests.
- ▣ In conformity with the National Building Code.


CUSTOM STRINGERS




PARIS



**TOP
OF THE STAIRS**



**BOTTOM
OF THE STAIRS**
Fixed with a flat plate




Fixed with an angle
mounting plate
(finishing plate not
available)

STRINGER WIDTH	ESTIMATED WEIGHT PER STEP	OPTIONS	COLORS
5 1/2"	30 Lbs	<ul style="list-style-type: none"> ▣ Screw cover for stringer mounting plate 	<ul style="list-style-type: none"> ▣ Painted steel stringer (Powder coating). ▣ Available colors: NT, CM, MR, ACV, GU, NU, MU, CU & BW
DETAILS <ul style="list-style-type: none"> ▣ Recommended step's thickness: 1 5/8" to 4". ▣ Step's width: 54" maximum. ▣ Available for 3 angle stairs or a landing (a mechanical coupling may be required). ▣ Fasteners included. ▣ When the top plate is visible, you must provide a suitable nosing to meet the run. ▣ A reinforcement is necessary at all times. Please refer to the reinforcement suggested by Prestige Metal at the end of this section. ▣ Please contact our customer service for any quote or other special requests. ▣ In conformity with the National Building Code. 			


CUSTOM STRINGERS




TOKYO




**TOP
OF THE STAIRS**



**BOTTOM
OF THE STAIRS**
Fixed with a flat plate




Fixed with an angle
mounting plate
(finishing plate not
available)

TUBE	ESTIMATED WEIGHT PER STEP	COLORS
 6" x 6"	30 Lbs	<ul style="list-style-type: none"> ▣ Painted steel stringer (Powder coating). ▣ Available colors: NT, CM, MR, ACV, GU, NU, MU, CU & BW
<p>DETAILS</p> <ul style="list-style-type: none"> ▣ Recommended step's thickness: 1 5/8" to 4". ▣ Step's width: 54" maximum. ▣ Available for 3 angle stairs or a landing (a mechanical coupling may be required). ▣ Fasteners included. ▣ When the top plate is visible, you must provide a suitable nosing to meet the run. ▣ A reinforcement is necessary at all times. Please refer to the reinforcement suggested by Prestige Metal at the end of this section. ▣ Please contact our customer service for any quote or other special requests. ▣ Screw covers are not available ▣ In conformity with the National Building Code. 		

CUSTOM STRINGERS


SUGGESTED REINFORCEMENTS

• DOUBLE OPEN JOIST*



The use of construction glue such as "PL PREMIUM" is recommended.

▪ SIMPLE OPEN JOIST*




The use of construction glue such as "PL PREMIUM" is recommended.

CUSTOM STRINGERS


SUGGESTED REINFORCEMENTS

• (2X10) OR (2X8) BEAM*



The use of construction glue such as "PL PREMIUM" is recommended.


• I-BEAM*



The use of construction glue such as "PL PREMIUM" is recommended.


Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

• LVL*




The use of construction glue such as "PL PREMIUM" is recommended.

• PARALLAM*



The use of construction glue such as "PL PREMIUM" is recommended.

• GLUED LAMINATED*




The use of construction glue such as "PL PREMIUM" is recommended.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

CUSTOM STRINGERS

SUGGESTED REINFORCEMENTS


• METAL H, I OR U BEAM*






The use of construction glue such as "PL PREMIUM" is recommended.

• FLOOR REINFORCEMENT*

Fixed with a flat plate



Fixed with an angle mounting plate



* For installation on a stringer with an angle mounting plate, find out the type of beam used in your home and consult the corresponding Prestige Metal data sheet for reinforcements.
Example above: double open joist reinforcement


The use of construction glue such as "PL PREMIUM" is recommended.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

CUSTOM STRINGERS

SUGGESTED REINFORCEMENTS

• RENFORT AU MUR*



The use of construction glue such as "PL PREMIUM" is recommended.


Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

LIFT SYSTEMS




LSL-M

Manual lift system



LSL-E

Electrical lift system





DETAILS

- ▣ Complete lift system.
- ▣ Painted. (NT)
- ▣ Delivered unassembled.
- ▣ The lift system can be fastened to :
 - ▣ a stringer,
 - ▣ a stairwell,
 - ▣ a wall.
- ▣ 2 options:
 - manual (LSL-M) or electric (LSL-E)
- ▣ When fastening the lift system to a wall, install on two 2 × 10 to keep it away from the wall.
- ▣ Contact us for a how-to video.

CUSTOM STRINGERS

ASSEMBLY GUIDE



ITEM	PART	QTY
WIN P1	WALL PLATE	2
WIN P2	BENT PLATE TO INSERT THE TUBES	2
WIN P3	RIGHT RING (ELECTRICAL HOIST ONLY)	1
WIN P4	LEFT RING (ELECTRICAL HOIST ONLY)	1
WIN P5	HOIST FASTENING PLATE	2
WIN P6	90° PLATE TO FASTEN THE TUBES	2
WIN T1	VERTICAL TUBE	2
WIN T2	ZXC 33-REPLACEMENT	1
ZXC 27	3/8-16 X 2 1/2" BOLT (NUT AND 2 WASHERS INCLUDED)	10
ZXC 30	3/8-16 X 1" BOLT (NUT AND 2 WASHERS INCLUDED)	4
ZXC 22	LAG SCREW 3" (2 WASHERS INCLUDED)	12
ZXC 33	MOUNTING PLATE (NUT AND WASHERS INCLUDED)	2
ZXC 43	CAST IRON EYELET	2
WIN T3	SQUARE ROD	1
ZXC 40	1/4-20 X 2" BOLT (NUT AND WASHERS INCLUDED)	3
	(NON-SHOWN PARTS)	
ZRC 05	STAINLESS STEEL CABLE	20'
ZXC 32	CABLE CLAMP	2
ZXC 34	HOOK	1
ZXC 35	MANUAL OR ELECTRICAL HOIST	1
ZXC 31	LAG SCREW 6" FOR FIXING THE REINFORCEMENT AT HOME	22

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

ORDERING GUIDE

COMPANY

DATE


NAME

YOUR P.O. #


DATE REQUIRED

4 TYPES OF CONFIGURATION


STRAIGHT SINGLE STAIRCASE




STAIRCASE WITH LANDING



SUPERIMPOSED STAIRCASE



STAIRCASE WITH CHANGE(S) IN DIRECTION




Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

CUSTOM STRINGERS

1st TYPE : STRAIGHT SINGLE STAIRCASE

ORDERING GUIDE



Additional informations

Step's tickness : _____

Color of the stringer : _____

Models ☐ Tokyo
☐ Paris
☐ Oslo

Top plate ☐ Visible ☐ With screw cover
☐ Without screw cover
☐ Hidden

Shipping ☐ Store
☐ Transporter

Bottom plate ☐ Visible ☐ With screw cover
☐ Without screw cover
☐ Hidden

** No screw cover is available for the Tokyo model.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

2nd TYPE : STAIRCASE WITH LANDING

ORDERING GUIDE

Nbr of steps :

Run:

Depth of the stair:

Nbr of steps :

Run:

Depth of the stair:

Additional informations

Step's tickness : _____

Color of the stringer : _____

Models

☐ Tokyo

☐ Paris

☐ Oslo

Top plate

☐ Visible

☐ With screw cover

☐ Without screw cover

☐ Hidden

Shipping

☐ Store

☐ Transporter

Bottom plate

☐ Visible

☐ With screw cover

☐ Without screw cover

☐ Hidden

** No screw cover is available for the Tokyo model.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

CUSTOM STRINGERS

3rd TYPE : SUPERIMPOSED STAIRCASE

ORDERING GUIDE

Stringer A

Nbr of steps :

Run:

Depth of the stair:

Stringer B

Nbr of steps :

Run:

Depth of the stair:

Additional informations

Step's tickness : _____ Color of the stringer : _____


<p>Models</p> <p><input type="checkbox"/> Tokyo</p> <p><input type="checkbox"/> Paris</p> <p><input type="checkbox"/> Oslo</p>	<p>Top plate</p> <p><input type="checkbox"/> Visible</p> <p style="margin-left: 20px;"> <input type="checkbox"/> With screw cover <input type="checkbox"/> Without screw cover </p> <p><input type="checkbox"/> Hidden</p>	<p>Shipping</p> <p><input type="checkbox"/> Store</p> <p><input type="checkbox"/> Transporter</p>
<p>Bottom plate</p> <p><input type="checkbox"/> Visible</p> <p style="margin-left: 20px;"> <input type="checkbox"/> With screw cover <input type="checkbox"/> Without screw cover </p> <p><input type="checkbox"/> Hidden</p>		

** No screw cover is available for the Tokyo model.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

4th TYPE : STAIRCASE WITH CHANGE(S) IN DIRECTION

ORDERING GUIDE



Additional informations

Step's tickness : _____

Color of the stringer : _____

Models	<input type="checkbox"/> Tokyo	Top plate	<input type="checkbox"/> Visible	<input type="checkbox"/> With screw cover	Shipping	<input type="checkbox"/> Store
	<input type="checkbox"/> Paris		<input type="checkbox"/> Hidden	<input type="checkbox"/> Without screw cover		<input type="checkbox"/> Transporter
	<input type="checkbox"/> Oslo					
		Bottom plate	<input type="checkbox"/> Visible	<input type="checkbox"/> With screw cover		
			<input type="checkbox"/> Hidden	<input type="checkbox"/> Without screw cover		


** No screw cover is available for the Tokyo model.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.

CUSTOM STRINGERS

5th TYPE : STAIRCASE WITH CHANGE(S) IN DIRECTION MECHANICAL SEAL

ORDERING GUIDE



Additional informations

Step's tickness : _____ Color of the stringer : _____

Models	<input type="checkbox"/> Tokyo	Top plate	<input type="checkbox"/> Visible	<input type="checkbox"/> With screw cover	Shipping	<input type="checkbox"/> Store
	<input type="checkbox"/> Paris			<input type="checkbox"/> Without screw cover		<input type="checkbox"/> Transporter
	<input type="checkbox"/> Oslo		<input type="checkbox"/> Hidden			
		Bottom plate	<input type="checkbox"/> Visible	<input type="checkbox"/> With screw cover		
				<input type="checkbox"/> Without screw cover		
			<input type="checkbox"/> Hidden			
		Landing plate	<input type="checkbox"/> Visible	<input type="checkbox"/> With screw cover		
				<input type="checkbox"/> Without screw cover		
			<input type="checkbox"/> Hidden			

** No screw cover is available for the Tokyo model.

Photos and drawings are indicative. The installer is responsible for checking the current regulations, in their area, with their local building inspector.